SAFETY DATA SHEET LIME POINT REGENCY BATH

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name LIME POINT REGENCY BATH

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.3. Details of the supplier of the safety data sheet

1.4. Emergency telephone number

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (SI 2019 No. 720)

Physical hazards Not Classified

Health hazards Eye Dam. 1 - H318

Environmental hazards Not Classified

2.2. Label elements

Hazard pictograms



Signal word Danger

Hazard statements H318 Causes serious eye damage.

Precautionary statements P280 Wear protective gloves/ protective clothing/ eye protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/ doctor.

Contains HYDRATED LIME

2.3. Other hazards

SECTION 3: Composition/information on ingredients

3.1. Substances

Classification according to EC

1272/2008 (CLP)

3.2. Mixtures

Quartz 60-100%

Classification
Not Classified

HYDRATED LIME 5-10%

CAS number: 1305-62-0 EC number: 215-137-3

Classification

Skin Irrit. 2 - H315 Eye Dam. 1 - H318 STOT SE 3 - H335

LIME POINT REGENCY BATH

BLACK PIGMENT <1%

CAS number: 1133-86-4

Classification

Not Classified

RED DYE <1%

CAS number: -

Classification

Not Classified

The full text for all hazard statements is displayed in Section 16.

SECTION 4: First aid measures

- 4.1. Description of first aid measures
- 4.2. Most important symptoms and effects, both acute and delayed
- 4.3. Indication of any immediate medical attention and special treatment needed

SECTION 5: Firefighting measures

- 5.1. Extinguishing media
- 5.2. Special hazards arising from the substance or mixture
- 5.3. Advice for firefighters

SECTION 6: Accidental release measures

- 6.1. Personal precautions, protective equipment and emergency procedures
- 6.2. Environmental precautions
- 6.3. Methods and material for containment and cleaning up
- 6.4. Reference to other sections

SECTION 7: Handling and storage

- 7.1. Precautions for safe handling
- 7.2. Conditions for safe storage, including any incompatibilities
- 7.3. Specific end use(s)

SECTION 8: Exposure controls/Personal protection

8.1. Control parameters

Occupational exposure limits

Quartz

Long-term exposure limit (8-hour TWA): WEL 0.3 mg/m³

HYDRATED LIME

Long-term exposure limit (8-hour TWA): 4 mg/m³

BLACK PIGMENT

Long-term exposure limit (8-hour TWA): WEL 3.5 mg/m³

RED DYE

Long-term exposure limit (8-hour TWA): 10.00 mg/m³ Short-term exposure limit (15-minute): 4.00 mg/m³

WEL = Workplace Exposure Limit.

8.2. Exposure controls

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

LIME POINT REGENCY BATH

9.2. Other information

SECTION 10: Stability and reactivity

- 10.1. Reactivity
- 10.2. Chemical stability
- 10.3. Possibility of hazardous reactions
- 10.4. Conditions to avoid
- 10.5. Incompatible materials
- 10.6. Hazardous decomposition products

SECTION 11: Toxicological information

11.1. Information on toxicological effects

SECTION 12: Ecological information

- 12.1. Toxicity
- 12.2. Persistence and degradability
- 12.3. Bioaccumulative potential
- 12.4. Mobility in soil
- 12.5. Results of PBT and vPvB assessment
- 12.6. Other adverse effects

SECTION 13: Disposal considerations

13.1. Waste treatment methods

SECTION 14: Transport information

- 14.1. UN number
- 14.2. UN proper shipping name
- 14.3. Transport hazard class(es)
- 14.4. Packing group
- 14.5. Environmental hazards
- 14.6. Special precautions for user
- 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

SECTION 15: Regulatory information

- 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture
- 15.2. Chemical safety assessment

SECTION 16: Other information

SDS number 20620

Hazard statements in full H315 Causes skin irritation.

H318 Causes serious eye damage. H335 May cause respiratory irritation.

0